


Name: ANSWERS

Lehman ID: _____

By writing my name above, I acknowledge complying with the CUNY Academic Integrity Policy while completing this examination.

MAT175 (Spring 2019)
Quiz 5

1. An island is 2 miles north of its closest point along a straight shoreline. A visitor is on the shore, 6 miles west of that point, and wants to go to the island. Suppose the visitor runs at a rate of 9 mph and swims at a rate of 3mph. How far should the visitor run before swimming to minimize the time it takes to reach the island?



$$\text{(Time running)} = \frac{x}{9}$$

x ← (distance running)
 9 ← (running speed)

$$\text{(Time swimming)} = \frac{y}{3}$$

y ← (distance swimming)
 3 ← (swimming speed)

$$\text{total time} = \frac{x}{9} + \frac{y}{3}$$

$$\text{constraint: } y^2 = (6-x)^2 + 2^2 = (x-6)^2 + 4$$

$$\text{total time: } T(x) = \frac{x}{9} + \frac{1}{3} \sqrt{(x-6)^2 + 4}, \quad x \in [0, 6]$$

$$T'(x) = \frac{1}{9} + \frac{1}{3} \frac{2(x-6)}{2\sqrt{(x-6)^2 + 4}} = \frac{1}{9} + \frac{x-6}{3\sqrt{(x-6)^2 + 4}}$$

$$\text{So } T'(x) = 0 \Leftrightarrow x-6 = -\frac{\sqrt{(x-6)^2 + 4}}{3}$$

$$\Leftrightarrow (x-6)^2 = \frac{1}{9} \left((x-6)^2 + 4 \right)$$

$$\Leftrightarrow \frac{8}{9} (x-6)^2 = \frac{4}{9} \Leftrightarrow (x-6)^2 = \frac{1}{2} \Leftrightarrow x-6 = \pm \frac{1}{\sqrt{2}}$$

$$\Leftrightarrow x = 6 \pm \frac{\sqrt{2}}{2}$$

→

Only critical point in $[0, 6]$: $x = 6 - \frac{\sqrt{2}}{2}$

$$T\left(6 - \frac{\sqrt{2}}{2}\right) = \frac{2}{3} + \frac{4\sqrt{2}}{9} \approx 1.295 \leftarrow \text{Global minimum of } T(x) \text{ on the interval } [0, 6].$$

Endpoints

swim only:

$$T(0) = \frac{2\sqrt{10}}{3} \approx 2.108$$

run max distance:

$$T(6) = \frac{4}{3} \approx 1.333$$

A: The global min of $T: [0, 6] \rightarrow \mathbb{R}$ is achieved at $x = 6 - \frac{\sqrt{2}}{2}$, which means that the fastest way to get to the island is to run $\left(6 - \frac{\sqrt{2}}{2}\right)$ mi and swim the rest of the distance.